

Work Order ID 108537

\*108537\*

Page 1

Friday, October 18, 2013 11:05:21 AM

Item ID: D6101-007 Accept \*N900040100\* Setup Start \*NS1\*  
 Revision ID: Stop \*NS2\*  
 Item Name: Saddle Billet  
 Start Date: 10/18/2013 Start Qty: 20.00 \*20\* Cust Item ID:  
 Required Date: 10/30/2013 Req'd Qty: 20.00 \*20\* Customer:

Reference:

Approvals: Process Plan: CZ Date: 13/10/18 Tooling: \_\_\_\_\_ Date: \_\_\_\_\_  
 QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_  
 Run Start \*NR1\*  
 Stop \*NR2\*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D6101	Rev B

100 PURCHASING 0.00

\*100\*

Purchasing

Purchasing

Memo

Issue P/O: 21747  
 a) Description: Alluminum billet  
 b) 7.750" x 8.250" x 2.50" thick  
 c) Tolerance on all dimensions are +0.030"/-0.000"  
 d) Grain direction along 7.750" length  
 e) Material: 7075-T7351 (QQ-A-250/12)  
 f) Material certification required

110 Receive & Inspect for Damage & Mat'l Certs 0.00

\*110\*

Packaging

Packaging

Memo

Ensure material certification is attached

CZ 13/10/18 20

(13/14/3) (2e)

Work Order ID 108537

\*108537\*

Page 2

Friday, October 18, 2013 11:05:21 AM

Item ID: D6101-007 Accept \*N900040100\* Setup Start \*NS1\*  
 Revision ID: Stop \*NS2\*  
 Item Name: Saddle Billet  
 Start Date: 10/18/2013 Start Qty: 20.00 \*20\* Cust Item ID:  
 Required Date: 10/30/2013 Req'd Qty: 20.00 \*20\* Customer:

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_ Run Start \*NR1\*  
 QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_ Stop \*NR2\*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120 *120* QC Quality Control	QC6- Inspect dimensions to drawing  Memo Ensure Material certification comply to Dwg D6101	0.00  0.00	OK 13/11/01			20	0		
130 *130* Packaging Packaging	Identify as per dwg & Stock Location <i>44</i>  Memo	0.00  0.00	OK 13/11/01			20	0		
140 *140* QC Quality Control	QC21- Final Inspection - Work Order Release  Memo	0.00  0.00							OK / 13-11-05

13-11-01

# Picklist Print

Friday, October 18, 2013 11:05:20 AM

Page 1/1

Work Order ID: 108537

Parent Item: D6101-007

Parent Item Name: Saddle Billet

Start Date: 10/18/2013

Required Date: 10/30/2013


Start Qty: 20.00

Required Qty: 20.00

Comments: IPP A: 01.05.04New IssueEC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6101-007P 7075-T7351 8.25X7.75X2.5		Purchased	No			110	Each	0.0000	1	20		10/18/13	(20)

# SPECIFICATION CONTROL DRAWING



PURCHASE MATERIAL ACCORDING TO THE FOLLOWING TABLE. SPECIFY ALLOY, LENGTH x WIDTH x THICK (+0.030/-0.000), AND GRAIN DIRECTION AS SHOWN.

TOLERANCES ON ALL DIMENSIONS ARE +0.030/-0.000.

ALL DIMENSIONS ARE IN INCHES.

**B** ACCEPTABLE SPECIFICATIONS FOR 7075-T7351 ALUMINUM ARE AMS-QQ-A-250/12, QQ-A-250/12, OR ASTM B209

Part No.	Alloy	Length	Width	Thick	Grain Direction
D6101-001	7075-T7351 (QQ-A-250/12)	6.000	6.250	2.000	Along 6.000 Length
D6101-003	7075-T7351 (QQ-A-250/12)	7.875	6.250	2.000	Along 7.875 Length
D6101-005	7075-T7351 (QQ-A-250/12)	5.000	8.250	2.500	Along 5.000 Length
D6101-007	7075-T7351 (QQ-A-250/12)	7.750	8.250	2.500	Along 7.750 Length
D6101-009	7075-T7351 (QQ-A-250/12)	8.700	8.250	2.500	Along 8.700 Length
D6101-011	7075-T7351 (QQ-A-250/12)	9.700	8.250	2.500	Along 9.700 Length
D6101-013	7075-T7351 (QQ-A-250/12)	10.100	8.250	2.500	Along 10.10 Length
D6101-015	7075-T7351 (QQ-A-250/12)	9.450	6.250	2.500	Along 9.450 Length
D6101-017	7075-T7351 (QQ-A-250/12)	6.350	6.250	2.250	Along 6.350 Length

**B**

**RELEASED**  
09/07/15/W

CL 13/10/18

W10. 108537

B	ADDED D6101-015/-017, ADD ASTM B209	RF	09.04.23
A	NEW ISSUE	CP	01.03.30
REV.	DESCRIPTION	BY	DATE
DESIGN	CP	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D6101	SHEET 1 OF 1
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	SADDLE BILLET, 7075	NTS
DATE	09.04.23	<small>COPYRIGHT © 2001 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

**Castle Metals®**

A. M. Castle &amp; Co.

**PACKING SLIP/  
CERTIFICATE OF CONFORMANCE**

Page 1 of 2

Shipment No:1934792

<b>Ship From:</b> A. M. Castle & Co. MONTREAL - CASTLE METALS 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		<b>Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		<b>Ship To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN		<b>Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
<b>Date Shipped</b> 30-OCT-2013	<b>F.O.B.</b> ORIGIN	<b>Freight Terms</b> Prepaid		<b>Carrier</b> MANITOULIN		<b>BOL No</b> 1934792-2	

<b>Shipment Details</b>	<b>Final Destination Branch - MON</b>
-------------------------	---------------------------------------

<b>Order No</b> 3078039	<b>Line No</b> 1	<b>Item No</b> 752241.MO	<b>Description</b> 2.5000.PL.7075.T7351.ALUMINUM.US1.48.5000.144.5000 CUT 2SIDED TO 8.25 IN ( + .0310/- .0000 IN (GRAIN TO RUN ALONG 7.75")) X 7.75 IN ( + .0310/- .0000 IN (GRAIN TO RUN ALONG 7.75")) - ALUMINUM PLATE SAW SPECIFICATIONS: QQ-A-250/12				
<b>Purchase Order No</b> 21747		<b>Part Number</b> YOUR ITEM NUMBER: D6101-007		<b>Ordered Qty</b> 20.00 PCS		<b>Invoice Qty</b> 20.00 PCS	
<b>Details</b>		USE ONE HEAT ONLY SHIP TO CASTLE, MONTREAL (POINTE-CLAIRE) VIA ABF CUSTOMS BROKER: GEORGE H. YOUNG END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS ECCN # EAR99					
<b>Delivery No.</b> 119304441	<b>Mill</b> KAISER ALUMINUM	<b>Heat Number</b> 645520A8	<b>Mech Id</b>	<b>PCS</b> 20	<b>Width (IN)</b>	<b>Length (IN)</b>	<b>Shipped Qty(LBS)</b> 330.6337

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.  
Date Printed: 30-OCT-2013 10:52:21 AM





**Castle Metals®**

A. M. Castle & Co.

PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 2 of 2

Reviewed by Authorized Castle Metals Representative:		Date:	Name:
--	--	-------	-------





<b>SHIP TO:</b> A M CASTLE & CO 14001 ORANGE AVE P.O. BOX 1402 PARAMOUNT, CA 90723
<b>SOLD TO:</b> AM CASTLE & CO- SOLD TO 1420 KENSINGTON RD SUITE 220 OAK BROOK, IL 60523

**KAISER**  
**ALUMINUM**  
Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

**Serial Number**  
4302115

<b>CUSTOMER PO NUMBER:</b> 222231	<b>WORK PACKAGE:</b>	<b>CUSTOMER PART NUMBER:</b> 752241	<b>SHIP RUN/LOAD:</b> 102674/15	<b>GOV'T CONTRACT NUMBER:</b>		
<b>KAISER ORDER NO:</b> 1152915	<b>LINE ITEM:</b> 1	<b>SHIP DATE:</b> 28-JUN-2013	<b>ALLOY:</b> 7075	<b>CLAD:</b> BARE	<b>TEMPER:</b> T7351	<b>PRODUCT DESCRIPTION:</b> Kaiser Select® Plate
<b>WEIGHT SHIPPED:</b> 1806 LB	<b>QUANTITY:</b> 1 PCS EST.	<b>TRUCK B/L #:</b> 2042935	<b>GAUGE:</b> 2.5000 IN (63.5000 MM)	<b>DIAMETER/WIDTH:</b> 48.500 IN (1231.9 MM)	<b>LENGTH:</b> 144.500 IN (3670.3 MM)	

MHU 1694095: LOT 645520A8: 1 pieces;

### Certified Specifications

AMS 4078/RevJ  
ASTM B 209/Rev10  
BSS 7055/RevA  
DPS 4.713/RevAK  
GSS16100/RevG/Amd1

13/11/16  
CJ

AMS-QQ-A-250/12  
ASTM B 594/Rev09  
CMMP 025/RevU  
EAC MS1011/RevE  
MMS 159/RevT

AMS-STD-2154/RevA  
BAC 5439/RevH  
CSTI 006/RevD  
GAMPS 9101/RevB  
PS 21211/RevL

**Test Code: 4297**

### Test Results

**Lot: 645520A8    Cast 537    Drop 06    Ingot 5    Melted in USA**

(ASTM E8/B557)  
(EN 2002-1)

<b>Tensile:</b>	<b>Temper</b>	<b>Dir / # Tests</b>	<b>Ultimate KSI (MPA)</b>	<b>Yield KSI (MPA)</b>	<b>Elongation %</b>
	T7351	LT / 2 (Min:Max)	69.4 : 69.6 (479 : 480)	57.4 : 57.7 (396 : 398)	11.3 : 11.4

(ASTM E1004) (EN 2004-1)	
Conductivity %IACS :	40.9 Min      40.9 Max
(MS/M) :	23.7 Min      23.7 Max



(ASTM E1251)

<b>Chemistry:</b>	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.08	0.20	1.5	0.06	2.5	0.21	5.7	0.02	0.02	0.01	TOT 0.05

# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number  
4302115

### ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

### TEST NOTES

Metal represented by this test report was 100% immersion ultrasonically tested from one side with 3mm dead zones top and bottom and meets the Class A and Class B requirements of all specifications referenced on this test report. No surface marking of sonic indications is performed.

*Handwritten:*  
13/11/01  
C.H.



### CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser) hereby certifies that metal shipped under this order was melted in the United States of America or a qualifying country per DFARS 228.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content. This material has been inspected, tested and found in conformance with the requirements of the applicable specifications as indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. All metal which is solution heat treated complies with AMS 2772. Any warranty is limited to that shown on Kaiser's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of Kaiser Aluminum Fabricated Products, LLC laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law. ISO-9001:2000 certified.

*Handwritten signature:* James Hemenway

JAMES HEMENWAY, LABORATORIES SUPERVISOR